

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	332	604/6.09.ccls.	USPAT; USOCR	OR	OFF	2008/03/10 08:47
L2	348	222/590.ccls.	USPAT; USOCR	OR	OFF	2008/03/10 08:49
L8	201	222/590.ccls. and (heating valve filter)	USPAT; USOCR	OR	OFF	2008/03/10 08:50
L9	2	((("4443218") or ("5421208")).PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/03/10 08:53
L10	797	137/341.ccls.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/03/10 08:55
L11	0	10 and ((cylinder tubular body) near (heating) near (tank reservoir chamber container contain\$3) near (control\$3 button))	US-PGPUB; USPAT; USOCR	OR	ON	2008/03/10 08:57
L12	3	10 and ((heating) near (tank reservoir chamber container contain\$3) near (control\$3 button))	US-PGPUB; USPAT; USOCR	OR	ON	2008/03/10 08:58
L13	257	10 and ((heating) near (tank reservoir chamber container contain\$3) n)	US-PGPUB; USPAT; USOCR	OR	ON	2008/03/10 08:58
L14	86	10 and ((heating) near (tank reservoir chamber container contain\$3))	US-PGPUB; USPAT; USOCR	OR	ON	2008/03/10 08:58
L15	5706	(heating) same (solenoid)	USPAT	OR	ON	2008/03/10 09:12
L16	2943	(heating) same (solenoid) same (control)	USPAT	OR	ON	2008/03/10 09:13
L17	893	(heating) same (solenoid) same (control) same (chamber reservoir container tank)	USPAT	OR	ON	2008/03/10 09:13
L18	174	(heating) same (solenoid) same (control) same (chamber reservoir container tank) same (hollow tubular cylinder cylindrical tube\$1like housing)	USPAT	OR	ON	2008/03/10 09:14
L19	1114	(cap with (air near valve))	US-PGPUB; USPAT; USOCR	OR	OFF	2008/03/10 09:46

L20	189	"137"/\$.ccls. and 119	US-PGPUB; USPAT; USOCR	OR	OFF	2008/03/10 09:46
L21	123633	"433"/(32-37).ccls.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/03/10 09:57
L22	1238	"433"/32-37.ccls.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/03/10 09:57
L23	21	l22 and (solenoid)	US-PGPUB; USPAT; USOCR	OR	OFF	2008/03/10 09:57
L24	22	("0383536" "0945505" "1575152" "1889507" "2271188" "3095605" "3097288" "3221937" "3364577" "3406276" "3443059").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/03/10 10:16
L25	10	("3614389").URPN.	USPAT	OR	OFF	2008/03/10 10:16
L26	1	("3614389").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/03/10 10:18
S1	448	433/102.ccls.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/02/28 14:05
S2	22	S1 and chisel	US-PGPUB; USPAT; USOCR	OR	OFF	2008/02/28 14:05
S3	18	"4697586"	US-PGPUB; USPAT; USOCR	OR	OFF	2008/02/28 14:07
S4	1	("4697586").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/02/28 14:07
S5	856	"433"/\$.ccls. and (wax same (instrument apparatus device))	US-PGPUB; USPAT; USOCR	OR	OFF	2008/02/28 14:08
S6	164	"433"/\$.ccls. and chisel	US-PGPUB; USPAT; USOCR	OR	OFF	2008/02/28 14:13
S7	1	("6419488").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/02/28 14:22
S8	4	"433"/\$.ccls. and (chisel with hole)	US-PGPUB; USPAT; USOCR	OR	OFF	2008/02/28 14:27
S9	459	433/32.ccls.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/02/28 14:31
S10	1	S9 and chisel	US-PGPUB; USPAT; USOCR	OR	OFF	2008/02/28 14:31
S11	90807	((electric electronic automatic) same (heat\$3) same (chamber cavity channel))	US-PGPUB; USPAT; USOCR	OR	OFF	2008/02/28 14:33

S12	47	((electric electronic automatic) same (heat\$3) same (chamber cavity channel))same (chisel)	US-PGPUB; USPAT; USOCR	OR	OFF	2008/02/28 14:34
S13	2	("3,522,654").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/02/28 14:54
S14	6	("1880176" "2243400" "3522654").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/02/28 14:58
S15	5	("5346394").URPN.	USPAT	OR	OFF	2008/02/28 14:59
S16	9	("3364577" "3522654" "3831815" "3902043" "5073696" "5346394" "6255625").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/02/28 15:01
S17	0	("7175429").URPN.	USPAT	OR	OFF	2008/02/28 15:06
S18	9	("3364577" "3522654" "3831815" "3902043" "5073696" "5346394" "6255625").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/02/28 15:06
S19	12	"433"/\$.ccls. and ((dual double) with (chamber reservoir vicinity) with (body hand\$1piece handle))	US-PGPUB; USPAT; USOCR	OR	OFF	2008/02/28 15:08
S20	0	("2005/0019272").URPN.	USPAT	OR	OFF	2008/02/28 15:12
S21	20	((dual double) with (chamber reservoir) with (body hand\$1piece handle)) with (detachable attachable seperable)	US-PGPUB; USPAT; USOCR	OR	OFF	2008/02/28 15:33
S22	203	((dual double) with (chamber reservoir) with (body hand\$1piece handle)).ab.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/02/28 15:36
S23	13	"433"/\$.ccls. and (wax\$3 with heat\$3).ti.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/02/28 15:46
S24	58	"433"/\$.ccls. and (wax\$3).ti.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/02/28 15:48
S25	82	(wax\$3 with heat\$3).ti.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/02/28 15:49
S26	139	((dual double) with (chamber reservoir) with (hollow cylindrical)).ab.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/02/28 16:20
S27	125	((dual double) with (chamber reservoir) with (hollow cylindrical)).ab.	EPO	OR	OFF	2008/02/28 16:25

S28	949	((dual double two\$1) with (chamber reservoir) with (hollow cylindrical)).ab.	EPO	OR	OFF	2008/02/28 16:49
S29	919	((dual double two\$1) with (chamber reservoir) with (hollow cylindrical)).ab.	USPAT	OR	OFF	2008/02/28 16:49
S30	295	S29 and (tube)	USPAT	OR	OFF	2008/02/28 16:50
S31	125	((dual double) with (chamber reservoir) with (hollow cylindrical)).ab.	EPO	OR	OFF	2008/02/28 16:56
S32	38	S31 and (tube pipe rod)	EPO	OR	OFF	2008/02/28 16:56
S33	43	((dual double) with (chamber reservoir) same (hollow cylindrical cyliner) same (tube pipe rod)).ab.	USPAT; USOCR	OR	OFF	2008/02/28 16:57
S34	249151	(body cylinder) same (dual plurality multiple double) same (chamber reservoir tank slot)".ti", "ab."	USPAT; USOCR	OR	ON	2008/02/28 17:05
S35	249151	((body cylinder) same (dual plurality multiple double) same (chamber reservoir tank slot)).ti", "ab."	USPAT; USOCR	OR	ON	2008/02/28 17:05
S36	80361	((body cylinder) same (dual plurality multiple double) same (chamber reservoir tank slot)).ti", "ab."	USPAT	OR	ON	2008/02/28 17:05
S37	50601	S36 and (tube pipe rod)	USPAT	OR	ON	2008/02/28 17:06
S38	0	"219".ccls. and S37	USPAT	OR	ON	2008/02/28 17:06
S39	688	"219"/\$.ccls. and S37	USPAT	OR	ON	2008/02/28 17:06
S40	2	((("219"/\$.ccls. and "433"/\$.ccls. and "222"/\$.ccls.) and (body cylinder) same (dual plurality multiple double) same (chamber reservoir tank slot)).ti", "ab."	USPAT	OR	ON	2008/02/28 17:10
S41	1059	"219"/\$.ccls. and ((body cylinder) same (dual plurality multiple double) same (chamber reservoir tank slot)).ti", "ab."	USPAT	OR	ON	2008/02/28 17:11

S42	0	"219"/\$.ccls. and ((body cylinder) same (dual plurality multiple double) same (chamber reservoir tank slot)).ti.	USPAT	OR	ON	2008/02/28 17:11
S43	55	"219"/\$.ccls. and ((body cylinder) with (dual plurality multiple double) same (chamber reservoir tank slot)).ab.	USPAT	OR	ON	2008/02/28 17:12
S44	0	433/32.ccls. and dual \$1chamber adj (cyliner syringe tubular body).ccls.	USPAT	OR	ON	2008/02/28 17:19
S45	0	"433"/\$.ccls. and dual \$1chamber adj (cyliner syringe tubular body).ccls.	USPAT	OR	ON	2008/02/28 17:19
S46	4	"433"/\$.ccls. and dual \$1chamber adj (cyliner syringe tubular body)	USPAT	OR	ON	2008/02/28 17:20
S47	25	dual\$1chamber adj (cyliner syringe tubular body)	USPAT	OR	ON	2008/02/28 17:20
S48	0	("2006/0147875").URPN.	USPAT	OR	OFF	2008/02/28 17:25
S49	1539	(wax\$3 same heat\$3).ab.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/02/28 17:31
S50	1207	(wax\$3 same heat\$3).ab.	USPAT	OR	OFF	2008/02/28 17:32
S51	131	S50 and (dual double multiple plurality) same (chamber slot tank reservoir)	USPAT	OR	ON	2008/02/28 17:33
S52	9	S50 and (dual double multiple plurality) adj (chamber slot tank reservoir)	USPAT	OR	ON	2008/02/28 17:40
S53	0	S50 and (dual double multiple plurality) adj (chamber slot tank reservoir)	US-PGPUB	OR	ON	2008/02/28 17:41
S54	0	S50 and (dual double multiple plurality) adj (chamber tank reservoir)	US-PGPUB	OR	ON	2008/02/28 17:41
S55	4	S49 and (dual double multiple plurality) adj (chamber tank reservoir)	US-PGPUB	OR	ON	2008/02/28 17:42
S56	0	molten adj was	US-PGPUB	OR	ON	2008/02/28 17:45

S57	805	molten adj wax	US-PGPUB	OR	ON	2008/02/28 17:45
S58	3787	molten adj wax	US-PGPUB; USPAT; USOCR	OR	OFF	2008/02/28 17:46
S59	1129	S58 and (reservoir cyliner chamber)	US-PGPUB; USPAT; USOCR	OR	ON	2008/02/28 17:46
S60	797	S59 and (dual double multiple plurality)	US-PGPUB; USPAT; USOCR	OR	ON	2008/02/28 17:46
S61	327	S59 and (dual double)	US-PGPUB; USPAT; USOCR	OR	ON	2008/02/28 17:47
S62	5113	ahn.in.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/02/29 09:20
S63	3	S62 and jae\$1wan	US-PGPUB; USPAT; USOCR	OR	OFF	2008/02/29 09:20
S64	741	433/80.ccls.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/02/29 09:22
S65	4	S64 and ((dual double adjacent) adj (chamber container slot))	US-PGPUB; USPAT; USOCR	OR	ON	2008/02/29 09:25
S66	37	S64 and ((dual double first second) adj (chamber container slot))	US-PGPUB; USPAT; USOCR	OR	ON	2008/02/29 09:27
S67	1	("4028024").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/02/29 09:38
S68	2	("1894115").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/02/29 09:38
S69	1	("4687021").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/02/29 09:39
S70	1	("5108403").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/02/29 09:40
S71	8	("5108403").URPN.	USPAT	OR	OFF	2008/02/29 09:42
S72	8	("1523068" "4338925" "4405249" "4546767" "4751921" "4973334" "4994065").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/02/29 09:42
S73	1	("5954231").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/02/29 09:44
S74	1	("5480292").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/02/29 09:46
S75	278	433/89.ccls.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/02/29 09:58
S76	17	S75 and ((dual double first second) adj (chamber container slot))	US-PGPUB; USPAT; USOCR	OR	OFF	2008/02/29 09:58

S77	18	S75 and ((dual double first second) adj (chamber container slot compartment))	US-PGPUB; USPAT; USOCR	OR	OFF	2008/02/29 10:09
S78	2	S75 and ((dual double first second) adj (compartment))	US-PGPUB; USPAT; USOCR	OR	OFF	2008/02/29 10:39
S79	516	((dual double) with (compartment) with (body hand\$1piece handle))	US-PGPUB; USPAT; USOCR	OR	OFF	2008/02/29 10:40
S80	261	S79 and (interconnect\$3 communicat\$3)	US-PGPUB; USPAT; USOCR	OR	OFF	2008/02/29 10:41
S81	1	"20020108968"	US-PGPUB; USPAT; USOCR	OR	OFF	2008/03/03 11:07
S82	1	("5673821").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/03/03 11:28
S83	8	("3760986" "4402431" "4437584" "4438871" "4903868" "4949874" "5104004" "5197637").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/03/03 11:46
S84	1	("6398759").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/03/03 11:51
S85	6151	wax\$3.ti.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/03/03 13:11
S86	195	(wax\$3 with (chisel applicator)) .ti.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/03/03 13:12
S87	18	("0421362" "0514290" "2094700" "2913748" "3090071" "3197801" "3446391" "3782600" "4117946" "5395175" "5727893").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/03/03 13:22
S88	99	(wax\$3 with (chisel applicator)) .ab.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/03/03 13:28
S89	60	S88 not S86	US-PGPUB; USPAT; USOCR	OR	OFF	2008/03/03 13:28
S90	578	222/146.2	US-PGPUB; USPAT; USOCR	OR	OFF	2008/03/03 13:37
S91	392	222/146.2.ccls.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/03/03 13:37
S92	1353	222/146.5.ccls.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/03/03 13:43
S93	1	("5346394").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/03/03 14:00
S94	1	("20020108968").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/03/03 14:13

S95	4537	"222"/\$.ccls. and filter	US-PGPUB; USPAT; USOCR	OR	OFF	2008/03/03 14:45
S96	4815	"222"/\$.ccls. and filter	US-PGPUB; USPAT; USOCR	OR	ON	2008/03/03 14:45
S97	16	433/32.ccls. and filter	US-PGPUB; USPAT; USOCR	OR	ON	2008/03/03 14:45
S98	196	(433/80-89).ccls. and filter	US-PGPUB; USPAT; USOCR	OR	ON	2008/03/03 14:49
S99	17	"433"/\$.ccls. and (filter near3 (undesire unwanted))	US-PGPUB; USPAT; USOCR	OR	ON	2008/03/03 15:01
S100	6	"433"/\$.ccls. and (filter near3 (contamination wax \$3))	US-PGPUB; USPAT; USOCR	OR	ON	2008/03/03 15:03
S101	62	"222"/\$.ccls. and (filter near3 (contamination wax \$3))	US-PGPUB; USPAT; USOCR	OR	ON	2008/03/03 15:09
S102	6671	(filter same dispensing)	US-PGPUB; USPAT; USOCR	OR	ON	2008/03/03 15:12
S103	2944	(filter with dispensing)	US-PGPUB; USPAT; USOCR	OR	ON	2008/03/03 15:12
S104	19	(filter with dispensing) same wax\$3	US-PGPUB; USPAT; USOCR	OR	ON	2008/03/03 15:12
S105	233	(222/146.2-146.5).ccls. and (filter\$3)	US-PGPUB; USPAT; USOCR	OR	ON	2008/03/03 15:14
S106	210	(222/146.2-146.5).ccls. and (solenoid with valve)	US-PGPUB; USPAT; USOCR	OR	ON	2008/03/03 15:21
S107	0	(604/208-210).ccls. and (solenoid adj valve)	US-PGPUB; USPAT; USOCR	OR	ON	2008/03/03 15:24
S108	572	"604"/\$.ccls. and (solenoid adj valve)	US-PGPUB; USPAT; USOCR	OR	ON	2008/03/03 15:24
S109	259	S108 and filter	US-PGPUB; USPAT; USOCR	OR	ON	2008/03/03 15:25
S110	100	S109 and (temperature and sensor)	US-PGPUB; USPAT; USOCR	OR	ON	2008/03/03 15:35
S111	40	S109 and (temperature adj sensor)	US-PGPUB; USPAT; USOCR	OR	ON	2008/03/03 15:35
S112	62	S108 and (temperature adj sensor)	US-PGPUB; USPAT; USOCR	OR	ON	2008/03/03 15:37
S113	22	S112 not S111	US-PGPUB; USPAT; USOCR	OR	ON	2008/03/03 15:37
S114	0	("2006/0150748").URPN.	USPAT	OR	OFF	2008/03/03 15:40
S115	1	("7008403").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/03/03 15:40

S116	19	433/84.ccls. and (valve and filter)	US-PGPUB; USPAT; USOCR	OR	OFF	2008/03/04 08:27
S117	2817	137/613.ccls.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/03/04 15:50
S118	464	S117 and ((body same (chamber container reservoirs) same valve))	US-PGPUB; USPAT; USOCR	OR	ON	2008/03/04 15:51
S119	223	S118 and (first plurality) with chamber	US-PGPUB; USPAT; USOCR	OR	ON	2008/03/04 15:52
S120	126	137/613.ccls. and (valve same filter)	US-PGPUB; USPAT; USOCR	OR	OFF	2008/03/04 17:36
S121	90	137/613.ccls. and (valve with filter)	US-PGPUB; USPAT; USOCR	OR	OFF	2008/03/04 17:37
S122	0	137/613.ccls. and (valve with filter) same viscous	US-PGPUB; USPAT; USOCR	OR	OFF	2008/03/04 17:44
S123	315	(valve with filter) same viscous	US-PGPUB; USPAT; USOCR	OR	OFF	2008/03/04 17:44
S124	84	(valve with filter) with viscous	US-PGPUB; USPAT; USOCR	OR	OFF	2008/03/04 17:44
S125	2	("3364577").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/03/05 08:37
S126	7	("3364577").URPN.	USPAT	OR	OFF	2008/03/05 08:37
S127	22	((("1070905") or ("1457508") or ("1478319") or ("1724070") or ("1909774") or ("2111645") or ("2119908") or ("2206994") or ("2454576") or ("2468818") or ("3264449")).PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/03/05 09:02
S128	0	(electric43 with heat\$3).ti.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/03/05 09:07
S129	10144	(electric\$3 with heat\$3).ti.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/03/05 09:07
S130	6091	(electric\$3 with heat\$3).ti.	USPAT	OR	OFF	2008/03/05 09:08
S131	45	S130 and (valve and filter and (reservoir chamber compartment storage vessel receptacle))	USPAT	OR	OFF	2008/03/05 09:09
S132	1	S131 and wax	USPAT	OR	OFF	2008/03/05 09:09
S133	1079	(electric with wax\$3)	EPO; JPO; DERWENT	OR	OFF	2008/03/07 13:21

S134	82	S133 and (valve filter)	EPO; JPO; DERWENT	OR	ON	2008/03/07 13:23
S135	4	((("3967781") or ("3537678") or ("4685651")).PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/03/07 13:25
S136	1	("6240943").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/03/07 14:04
S137	1	("5096421").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/03/07 14:11
S138	0	("(waxwithfilter)").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/03/07 14:12
S139	792	(wax with filter)	USPAT	OR	OFF	2008/03/07 14:12
S140	0	S139 and handpiece	USPAT	OR	OFF	2008/03/07 14:13
S141	229	S139 and (hand\$piece body)	USPAT	OR	OFF	2008/03/07 14:13
S142	25	(wax with filter) same (body hand\$held hand \$1piece)	USPAT	OR	OFF	2008/03/07 14:14
S143	1	("7008403").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/03/07 14:32
S144	2817	137/613.ccls.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/03/07 14:55
S145	491	S144 and (two series) near3 (valve valves)	US-PGPUB; USPAT; USOCR	OR	OFF	2008/03/07 14:56
S146	125	S145 and (dual multiple first second) near3 (chamber compartment reservoir)	US-PGPUB; USPAT; USOCR	OR	OFF	2008/03/07 14:57
S147	47	S145 and (dual multiple first second) near3 (chamber compartment reservoir) near (valve)	US-PGPUB; USPAT; USOCR	OR	OFF	2008/03/07 15:03
S148	3	("6467505").URPN.	USPAT	OR	OFF	2008/03/07 16:04
S149	3	("6467505").URPN.	USPAT	OR	OFF	2008/03/07 16:04
S150	10	("3100504" "4015626" "4096746" "4210171" "4629561" "5137046" "5329966" "5762086" "6026849").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/03/07 16:04
S151	102	433/28.ccls.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/03/07 16:05

S152	9	"3364577"	US-PGPUB; USPAT; USOCR	OR	OFF	2008/03/07 16:32
S153	2	("3364577").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/03/07 16:32
S154	7	("3364577").URPN.	USPAT	OR	OFF	2008/03/07 16:35
S155	22557	(control\$3 wax\$3 valve)	US-PGPUB; USPAT; USOCR	AND	OFF	2008/03/07 16:43
S156	18	(control\$3 near wax\$3 near valve)	US-PGPUB; USPAT; USOCR	AND	OFF	2008/03/07 16:44
S157	13	"433"/\$.ccls. and (control\$3 near wax\$3)	US-PGPUB; USPAT; USOCR	AND	OFF	2008/03/07 16:45
S158	10	("3614389").URPN.	USPAT	OR	OFF	2008/03/07 16:48

3/10/2008 11:29:49 AM

C:\Documents and Settings\ypatel\My Documents\EAST\Workspaces\10561719.wsp